

# ABAQUS STANDARD DATA SHEET

## ANALYSIS TYPES

- Static stress/displacement (general nonlinear)
- Static stress/displacement (linear perturbation)
- Dynamic stress/displacement
- Natural frequency extraction
- Eigenvalue buckling
- Complex eigenvalue extraction
- Direct cyclic
- Low-cycle fatigue
- Steady-state transport
- Heat transfer (transient and steady-state)
- Mass diffusion (transient and steady-state)
- Acoustics
- One-step inverse method
- Coupled-field multiphysics
  - Thermal-stress
  - Thermal-electrical
  - Thermal-electrical-structural
  - Piezoelectric
  - Thermal-electrochemical
  - Thermal-electrochemical-structural
  - Pore pressure-structural-thermal
- Linear dynamics
  - Steady-state dynamics (direct and mode-based)
  - Transient mode-based dynamics
  - Response spectrum
  - Random response

## ANALYSIS AND MODELING TECHNIQUES

- Import
- Restart
- Substructuring

- Flexible Body Generation
- Submodeling
- Material removal and activation
- Mesh-to-mesh solution mapping
- Adaptive remeshing
- Fracture mechanics (including VCCT)
- Symmetric model generation and results transfer
- Cyclic symmetry
- Inertia relief
- Nonstructural mass
- Direct matrix input
- Cosimulation
- Automatic resolution of overconstraints
- Data parameterization and parametric studies
- Automatic perturbation of geometry
- Local degrees of freedom
- Surface-based fluid cavities
- Annealing
- Reinforcements
- Embedded elements
- Elastic foundation
- Meshed beam cross sections
- Rigid, display, and isothermal bodies

## HIGH PERFORMANCE COMPUTING

- Parallel direct sparse solver with dynamic load balancing
- Parallel AMG iterative solver
- Parallel AMS and Lanczos eigensolvers
- Hybrid parallel execution on shared memory and distributed memory systems

- GPU acceleration of direct sparse solver & AMS eigensolver

## MATERIAL DEFINITIONS

### Elastic Mechanical Properties

- Linear elasticity
- Orthotropic and anisotropic linear elasticity
- Porous elasticity
- Hypoelasticity
- Hyperelasticity (including permanent set)
- Anisotropic hyperelasticity
- Elastomeric foam
- Mullins effect
- Viscoelasticity
- Nonlinear viscoelasticity
- Hysteresis

### Inelastic Mechanical Properties

- Metal plasticity
  - Isotropic and anisotropic yield criteria
  - Isotropic, kinematic, and ORNL hardening
  - Porous metal plasticity
  - Cast iron
  - Two-layer viscoplasticity
  - Creep
  - Volumetric swelling
  - Deformation plasticity
  - Johnson-Cook plasticity
- Extended Drucker-Prager plasticity
- Capped Drucker-Prager plasticity
- Cam-Clay plasticity
- Mohr-Coulomb plasticity
- Crushable foam plasticity
- Jointed materials
- Concrete
- Progressive damage and failure

- Ductile
- Shear
- Forming limit diagram (FLD)
- Forming limit stress diagram (FLSD)
- Müschenborn-Sonne forming limit diagram (MSFLD)
- Hashin unidirectional composite

### Additional Material Properties

- Density
- Material damping
- Thermal expansion
- Thermal and electrical conductivity
- Specific heat
- Latent heat
- Damage and failure for fiberreinforced composites
- Acoustic medium properties
  - Bulk modulus
  - Volumetric drag
- Porous acoustic medium
  - Delany-Bazley
  - Miki
- Hydrostatic fluid properties
  - Hydraulic fluids
  - Pneumatic fluids
- Mass diffusion properties
  - Diffusivity
  - Solubility
- Pore fluid flow properties
  - Permeability
  - Porous bulk moduli
  - Absorption/exsorption
  - Swelling gel
  - Moisture swelling
- User materials
- Electromagnetic properties
  - Piezoelectric behavior

# ABAQUS STANDARD DATA SHEET

- Magnetic permeability (with nonlinear B-H behavior)
- Permanent magnet
- Electrical conductivity

## ELEMENT LIBRARY

### Continuum

- Stress analysis
  - 2-D (plane stress, plane strain, and generalized plane strain)
  - 3-D (regular and variable node)
  - Cylindrical
  - Axisymmetric (with and without twist)
  - Axisymmetric with nonlinear, asymmetric deformation
  - Infinite
  - Warping
- Heat transfer
  - 1-D
  - 2-D
  - 3-D
  - Axisymmetric
- Mass diffusion
  - 2-D
  - 3-D
  - Axisymmetric
- Temperature-displacement
  - 2-D (plane stress, plane strain, and generalized plane strain)
  - 3-D
  - Axisymmetric (with and without twist)
- Pore pressure
  - 2-D (plane strain)
  - 3-D
  - Axisymmetric
  - Axisymmetric with nonlinear, asymmetric deformation
- Piezoelectric
  - 2-D (plane stress and plane strain)
  - 3-D
  - Axisymmetric
  - Axisymmetric with nonlinear, asymmetric deformation
- Thermal-electrical
  - 1-D
  - 2-D
  - 3-D
  - Axisymmetric
- Acoustic
  - 1-D
  - 2-D
  - 3-D
  - Axisymmetric
  - Infinite

- Electromagnetic
  - 2-D
  - 3-D

### Shells

- Stress analysis
  - 3-D
  - Continuum shell
  - Axisymmetric
  - Axisymmetric with nonlinear, asymmetric deformation
- Heat transfer
  - 3-D
  - Axisymmetric
- Temperature-displacement
  - 3-D
  - Axisymmetric Membranes
- Stress analysis
  - 3-D
  - Cylindrical
  - Axisymmetric (with and without twist)

### Beams

- Stress analysis
  - 2-D
  - 3-D (regular, open section, and tapered)

### Pipes

- Stress analysis
  - 2-D
  - 3-D

### Elbows

- Stress analysis
  - 3-D

### Frame Elements

- Stress analysis
  - 2-D
  - 3-D

### Trusses

- Stress analysis
  - 2-D
  - 3-D
- Temperature-displacement
  - 2-D
  - 3-D
- Piezoelectric
  - 2-D
  - 3-D

### Gasket Elements

- Stress analysis
  - 2-D (plane stress and plane strain)
  - 3-D
  - Axisymmetric

### Inertial Elements

- Stress analysis
  - Point mass
  - Anisotropic Point Mass
  - Rotary inertia

### Rigid Elements

- Stress analysis
  - 2-D
  - 3-D

### Capacitance Elements

- Heat transfer point heat capacitance

### Connector Elements

- Stress analysis
  - 2-D
  - 3-D

### Cohesive Elements

- Stress analysis
  - 2-D
  - 3-D

### Springs, Dashpots, and Flexible Joints

- Stress analysis
  - 2-D
  - 3-D
- Pore pressure
  - 2-D
  - 3-D

### Distributing Coupling

- Stress analysis
  - 2-D
  - 3-D

### Special-Purpose Elements

- Surface elements
- Hydrostatic fluid elements
- Tube support elements
- Line spring elements
- Pipe-soil interaction elements
- Acoustic interface elements

### User-Defined Elements

- Provides the ability to define custom elements

### PRESCRIBED CONDITIONS

- Amplitude curves
- Initial conditions
- Boundary conditions
- Loads
  - Distributed
  - Surface tractions
  - Concentrated forces and moments
  - Follower forces
  - Thermal
  - Electrical
  - Acoustic
  - Pore fluid flow
  - Prescribed assembly loads
  - Predefined fields
  - User-defined
- Sensors and actuators

## CONSTRAINTS AND INTERACTIONS

### Kinematic Constraints

- Linear constraint equations
- General multi-point constraints
- Kinematic coupling
- Surface-based constraints
  - Mesh ties
  - Kinematic and distributing couplings
  - Shell-to-solid couplings
  - Mesh-independent fasteners
- Embedded elements
- Element end release

### Surface-Based

#### Contact Modeling

- General ("automatic") contact
- Contact interactions
  - 2-D, 3-D
  - Deformable-deformable contact
  - Rigid-rigid contact
  - Self-contact
- Contact formulations
  - Balanced or pure master-slave contact
  - Finite, small, and infinitesimal sliding
  - Mechanical contact properties
  - Penalty contact
  - Hard contact with classical Lagrange multiplier method
  - Hard contact with augmented Lagrangian method
  - Contact damping
  - Static and kinetic Coulomb friction
  - Anisotropic friction
  - User-defined friction models
  - Pressure penetration (2-D & 3-D)
  - Debonding
  - Cohesive behavior
  - Thermal conductance and radiation contact properties
- Electrical contact properties
- Pore fluid contact properties
- User-defined interfacial constitutive behavior

### Element-Based

#### Contact Modeling

- Gap contact elements
- Mechanical and thermal

# ABAQUS STANDARD DATA SHEET

## Cavity Radiation

- 2-D, 3-D, axisymmetric
- Closed and open cavities
- Symmetry and surface blocking
- Surface motion with automatic view factor computations
- Surface radiation properties

## USER SUBROUTINES

- Over 40 user-defined subroutines

## INPUT

- Keywords
- Set concept
- Multiple coordinate systems
- Parts and assemblies
- Nastran bulk data

## OUTPUT

- Platform-neutral binary output database
- Printed text output
- Restart output
- Diagnostic messages

## SUPPORTED PLATFORMS

- Windows/x86-64
- Linux/x86-64

## DOCUMENTATION

- Analysis Guide
- Keywords Guide
- Example Problems Guide
- Benchmarks Guide
- Verification Guide
- Theory Guide
- Release Notes

## Our 3DEXPERIENCE® platform powers our brand applications, serving 11 industries, and provides a rich portfolio of industry solution experiences.

Dassault Systèmes, the 3DEXPERIENCE Company, is a catalyst for human progress. We provide business and people with collaborative virtual environments to imagine sustainable innovations. By creating 'virtual experience twins' of the real world with our 3DEXPERIENCE platform and applications, our customers push the boundaries of innovation, learning and production.

Dassault Systèmes' 20,000 employees are bringing value to more than 270,000 customers of all sizes, in all industries, in more than 140 countries. For more information, visit [www.3ds.com](http://www.3ds.com).



**3DEXPERIENCE®**